

## **PACKAGE LEAFLET:**

GRANULIN solutio

For dogs and cats

### **1. NAME AND ADDRESS OF MARKETING AUTHORISATION HOLDER AND THE MANUFACTURER IF THEY ARE DIFFERENT**

VETPROM AD, 2400 Radomir, Bulgaria, 26 Otets Paisii Str.

tel.: 0777/8-24-93, 8-02-68; fax: 0777/8-23-91

E-mail: [vetprom@abv.bg](mailto:vetprom@abv.bg); [office@vetprom.bg](mailto:office@vetprom.bg)

### **2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

GRANULIN solutio

### **3. CONTENT OF ACTIVE SUBSTANCES AND EXCIPIENTS**

#### **ctive substances:**

Ethacridine Lactate Monohydrate 0.37 g/100 ml

Acriflavinium Mono hloride 0.37 g/100 ml

Methylthioninum Chloride 0.74 g/100 ml

Salicylic Acid 2.22 g/100 ml

#### **xcipients:**

Castor oil

Ethanol 96%

Purified Water

### **4. HERAPEUTIC INDICATIONS**

For application in fresh wound infections, excoriation, grazing, ulcerations, fistula, eczema and dermatitis. Excellent prophylactic effect in surgery wounds.

### **5. CONTRAINDICATIONS**

Do not use in case of hypersensitivity to the active substances or to any of the excipients!

When applying to the area of the head, take care to avoid the solution getting into the eyes!

### **6. ADVERSE REACTIONS**

When applied locally on mucosa, tryptaflavine has a mild irritating effect. Transient hyperemia and greenish skin pigmentation at the site of treatment may occur. It may cause photosensitization.

If you notice a serious side effect or other effects associated with the use of this veterinary medicinal product, not listed in this leaflet, please inform your veterinary doctor.

## **7. TARGET ANIMAL SPECIES FOR WHICH THE VETERINARY MEDICINAL PRODUCT IS INTENDED**

Dogs and cats.

## **8. DOSAGE FOR EACH TARGET ANIMAL, METHOD OF ADMINISTRATION**

For topical application only!

After a pre-surgical treatment, a swab dipped in the solution is applied to the affected region.

Treatment is repeated daily or every other day until the complete healing.

## **9. HOW TO USE THE PRODUCT**

Always use GRANULIN<sup>®</sup>solutio exactly as your veterinary doctor has told you. Check with your veterinary doctor if you are not sure.

## **10. WITHDRAWAL PERIOD**

Not applicable.

## **11. SPECIAL STORAGE CONDITIONS**

Keep out of children's sight and reach .

Store below 25 °C

Protect from light.

Store in a dry place.

Do not use this veterinary medicinal product after the expiry date indicated on the label.

Shelf life after first opening: 30 days.

## **12. SPECIAL WARNINGS**

This veterinary medicinal product is intended for topical application only. Not for oral, parenteral or conjunctival administration. After use, wash your hands thoroughly with water and soap.

## **13. SPECIAL PRECAUTIONS FOR DISPOSAL OF ANY UNUSED PRODUCT OR WASTE MATERIAL, IF ANY**

Veterinary medicinal products should not be disposed of via wastewater or household waste.

You should ask your veterinary doctor how to dispose of veterinary medicines no longer required. These measures will help protect the environment.

## **14. DATE OF LATEST REVISION OF THE TEXT**

05.2015

## 15. FURTHER INFORMATION

For further information about this veterinary medicinal product, please contact the MAH regional representative.

VETPROM AD, 2400 Radomir, Bulgaria, 26 Otets Paisii Str.

tel.: 0777/8-24-93, 8-00-19; fax: 0777/8-23-91,

**-mail:** [vetprom@abv.bg](mailto:vetprom@abv.bg); [office@vetprom.bg](mailto:office@vetprom.bg)