

**INFORMATION LEAFLET:**

**TETRACYCLIN 1% unguentum**

**TETRACYCLIN 1% ointment**

**For cattle, goats, sheep, pigs, horses and dogs**

**NAME AND PERMANENT ADDRESS OF MARKETING AUTHORIZATION  
HOLDER AND MANUFACTURER, IF DIFFERENT**

VETPROM AD, Bulgaria, Radomir 2400, 26 Otetz Paisiy Street

**NAME OF THE VETERINARY MEDICINAL PRODUCT**

TETRACYCLIN 1% unguentum / TETRACYCLIN 1 % ointment

**CONTENTS OF THE ACTIVE SUBSTANCE(S) AND EXCIPIENT(S)**

**Active substances:**

Tetracycline Hydrochloride - 480 000 IU/50 g

**Excipients:**

Ascorbic Acid, Methyl Parahydroxybenzoate, Cetyl Alcohol, Wool Fat, White Soft Paraffin.

**THERAPEUTIC INDICATIONS**

For prevention of surgical infection of clean operational wounds and in case of those appeared accidentally and healing in a secondary manner, infected and festering after fading of acute inflammatory events, mainly in the stage of dehydration.

**CONTRAINDICATIONS**

Do not use in case of hypersensitivity to tetracycline.

Do not use in the toes infections and wounds in phases of hydration.

**UNDESIRABLE ADVERSE REACTIONS**

Photosensitivity reactions and skin rashes might occur.

If you notice any serious reactions or other effects from the use of the veterinary medicinal product not listed in this leaflet, please inform your veterinarian.

## **ANIMAL SPECIES INDICATED FOR TREATMENT WITH THE VMP**

Cattle, goats, sheep, pigs, horses and dogs

## **DOSAGE FOR EACH SPECIES, ROUTE AND METHOD OF ADMINISTRATION**

Application on the skin by covering the affected area. The affected area should be treated with the VMP with spatula at least 3 times daily.

## **ADVICE ON PROPER ADMINISTRATION**

This veterinary medicinal product is intended for cutaneous use. Do not apply orally, parenterally or conjunctivally.

## **WITHDRAWAL PERIOD**

None

## **SPECIAL STORAGE PRECAUTIONS**

Keep out of reach of children.

Keep at temperatures below 25 C.

Protect from light.

Store in a dry place.

Do not use after the expiry date stated on the tube!

Shelf life after first opening: 30 days. Storage at temperatures below 25 ° C, dry and protected from light.

## **SPECIAL PRECAUTIONS**

The product is not compatible with penicillin and streptomycin.

## **SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUTILIZED PRODUCT OR WASTE MATERIALS, IF ANY**

Any unused veterinary medicinal product or waste should be disposed in accordance with local regulations and guidelines.

## **DATE OF LATEST REVISION OF THE TEXT**

04/05/2012

## **ADDITIONAL INFORMATION**

Each piece of the veterinary medicinal product is available in 50 g aluminum tubes for pharmaceutical purpose, meeting the company standard.

For any information about this veterinary product, please contact the local representative of the Marketing Authorisation Holder

VETPROM AD,

Bulgaria, Radomir 2400, 26 Otetz Paisiy Street

Tel.: +359777/8-24-93, 8-02-68; Fax +359777/8-23-91

E-mail: [office@vetprom.bg](mailto:office@vetprom.bg)